
### LOW DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 60x100


Minimum Lot Size	6,000 sq.ft.
Minimum Width	60'
Minimum Depth	100'
Setbacks	
Front Yard	20'
Front Yard (Side Entry	10'
Garage)	
Rear Yard	20'
Side Yard	5'
Street Side Yard	10'



Page 1 of 1

### LOW DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 50x100


Minimum Lot Size	5,000 sq.ft.
Minimum Width	50'
Minimum Depth	100'
Setbacks	
Front Yard	18'
Front Yard (with side- entry garage)	10'
Rear Yard	20'
Side Yard Street Side Yard	5' 10'



### MEDIUM-HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 40x100 (Alley-Loaded)


Minimum Lot Size	4,000 sq.ft.		
Minimum Width	40'		
Minimum Depth	100'		
Setbacks (10' / 0' alt.)		Setbacks (5' / 5' alt.)	
Front Yard	15'	Front Yard	15'
Rear Yard	4'	Rear Yard	4'
Side Yard	10' / 0'	Side Yard	5'
Street Side Yard	10'	Street Side Yard	10'
Max. Building Height	35'		
Max. Lot Coverage	60%		

Note: Garages are at the rear of lots accessed via alleys.



### MEDIUM DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 40x100

Minimum Lot Size	4,000 sq.ft.
Minimum Width	40'
Minimum Depth	100'
Setbacks	
Front Yard	20'
Rear Yard	8'
Side Yard	5'
Street Side Yard	10'
Max. Building Height	35'
Max. Lot Coverage	60%




### MEDIUM DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 35x90 (Alley-Loaded)

Minimum Lot Size	3,150 sq.ft.		
Minimum Width	35'		
Minimum Depth	90'		
Setbacks (10' / 0' alt.)		Setbacks (5' / 5' alt.)	
Front Yard	10'	Front Yard	10'
Rear Yard	4'	Rear Yard	4'
Side Yard	5'	Side Yard	5'
Street Side Yard	10'	Street Side Yard	10'

Note: Garages are at the rear of lots accessed via alleys.


#### 10' / 0' Alternative

#### 5' / 5' Alternative



### MEDIUM-HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 30x100 (DUPLEX)

Minimum Lot Size	3,000 sq.ft.
Minimum Width	30'
Minimum Depth	100'
Setbacks	
Front Yard	20'
Rear Yard	10'
Side Yard	5' / 0'
Street Side Yard	10'
Max. Building Height	35'
Max. Lot Coverage	65%
(excluding patios, drives, walks, etc.)	



## HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 25x90 (ALLEY-LOADED)

Minimum Lot Size	2,250 sq.ft.
Minimum Width	25'
Minimum Depth	90'
Setbacks	
Front Yard	10'
Rear Yard	
(Alley Required)	4'
Side Yard	4'/ 0'
Street Side Yard	5'
Max. Building Height	35'
Max. Lot Coverage	70%
(excluding patios, drives, v	walks, etc.)








#### NOTES:

 Garages are accessed from alley behind lots,
End lot is 5' wider with blank wall orlented opposite blank wall of adjacent lot.



with minimum dimension

of 10 ft.


# HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 25x90 (ALLEY-LOADED)


Minimum Lot Size	2,250 sq.ft.
Minimum Width	25'
Minimum Depth	90'
Setbacks	
Front Yard	10'
Rear Yard	
(Alley Required)	4'
Side Yard	0'/ 0'
Street Side Yard	5'
Max. Building Height	35'
Max. Lot Coverage	80%
(excluding patios, drives,	walks, etc.)












# HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS 25x90 (ALLEY-LOADED)


Minimum Lot Size	2,250 sq.ft.
Minimum Width	25'
Minimum Depth	90'
Setbacks	
Front Yard	10'
Rear Yard	
(Alley Required)	10'
Side Yard	0'/ 0'
Street Side Yard	5'
Max. Building Height	35'
Max. Lot Coverage	80%
(excluding patios, drives,	walks, etc.)











of 10 ft.


## MEDIUM-HIGH DENSITY RESIDENTIAL DEVELOPMENT STANDARDS CLUSTER

Minimum Lot Size	2,100 sq.ft.
Minimum Width	30'
Minimum Depth	50'
Setbacks – Public Street	5'
Setbacks – Private Drive	2'
Max. Building Height	35'
Max. Lot Coverage	60%

Notes:

- One setback of common lot line to adjacent lot may be 0'.
- (2) Minimum private outdoor open space of 150 sq.ft. with minimum dimension of 10 ft..


A = 64'	E = 17'	I = 41'	M = 5'
B = 70'	F = 53'	J = 46'	N = 37'
C = 30'	G = 59'	K = 13'	O = 38'
D = 29'	H = 22'	L = 33'	P = 24'



EXAMPLE LOT DIMENSIONS







#### EXAMPLE OUTDOOR OPEN SPACE OPPORTUNITIES

